List of Contents

NUMBER 1

Wu Jie-Qing	1	A simple method for measuring K_{IC} of ductile metals
Wang Qizhi and **Xian Xuefu**	7	Post-failure instability analysis of a three-point bend round beam specimen of rock
Wenhua He, R. S. Dhaliwal and **H. S. Saxena**	13	Griffith crack at the interface of two orthotropic elastic layers
Chwan-Huei Tsai and **Chien-Ching Ma**	27	Thermal weight function of cracked bodies subjected to thermal loading
A. Ghorbanpoor and **Jiping Zhang**	41	Crack behavior for sliding contact problems
B. A. Crouch, R. G. Bender and **J. G. Williams**	49	An investigation of notching techniques for fracture toughness measurement in amorphous nylon
A. N. Das and **M. L. Ghosh**	59	Two co-planar Griffith cracks moving along the interface of two dissimilar elastic media
G. de Saxce and **Chi-Hang Kang**	71	Application of the hybrid mongrel displacement finite method to the computation of stress intensity factors in anisotropic material
B. Nageswara Rao and **A. R. Acharya**	85	A comparative study on evaluation of fracture toughness from Charpy V-notch impact energy and reduction-in-area
C. K. Chao and **C. C. Tseng**	91	Stability of failure initiation by fracture for fibrous composite with central crack
M. Zheng, Z. J. Luo and **X. Zheng**	103	A new damage model for ductile materials
Da Yu Tzou	111	Fracture path emanating from a rapidly moving heat source—the effect of thermal shock waves under high rate response
J. Paul and **R. Jones**	127	Repair of impact damaged composites
Y. W. Shi, Z. X. Han, N. N. Zhou and **J. Li**	143	The significance of crack depth in fracture toughness specimens for HSLA steel welds
	I	Software Survey Section

NUMBER 2

Wei Hua Tai	153	An improvement of CTOD criterion for ductile fracture
Chen Yi-Heng	159	Solution of mixed boundary problems for a finite cracked Reissner plate by the generalized variational method
K. Kussmaul, E. Roos, U. Eisele, H. Silcher, D. Restemeyer, W. Dahl and **R. Hubo**	169	Influence of specimen thickness on the deformation and fracture behaviour of wide plates
G. H. Sohn and **C. S. Hong**	177	Determination of three-dimensional stress intensity factor using virtual crack extension technique based on singular integral equations
S. H. Lo	191	Generation of high-quality gradation finite element mesh
J. A. Nairn and **Shoufeng Hu**	203	The formation and effect of outer-ply microcracks in cross-ply laminates: a variational approach
Fan Xuejun and **Yu Shouwen**	223	Thermal shock fracture in a surface-cracked plate
C. D. Liu, Y. F. Han, M. G. Yan and **M. C. Chaturvedi**	229	Small-scale creep crack growth
E. Smith	241	The use of eta factors to describe the J integral: the ASTM 1152 standard for the compact tension specimen
M. Ben-Amoz	247	Prediction of fatigue crack initiation life from cumulative damage tests
O. Kolednik	251	Loading conditions may influence the shape of J–Δa curves
D. M. Qi	257	Recommendations on the treatment of residual stresses in PD6493 for the assessment of the significance of weld defects
G. Jiao and **T. Moan**	271	Reliability-based fatigue and fracture design criteria for welded offshore structures
P. S. Theocaris	283	Dugdale-type crack tip plasticity in orthotropic plates studied by caustics
E. N. Theotokoglou	299	Integral equation solution of the eccentrically rotating cracked finite elastic disc
	I	Software Survey Section

NUMBER 3

E. I. Stromswold and **D. J. Quesnel**	309	An engineering tool for fracture toughness testing
Y. L. Chung and **A. R. Robinson**	321	The transient problem of a mode-III interface crack
Y. L. Chung and **A. R. Robinson**	331	Constant-speed propagation of a penny-shaped interface crack under pure torsion
S. K. Maiti	339	Finite element computation of crack closure integrals and stress intensity factors
S. K. Maiti and **R. Sethuraman**	349	A higher order element for finite element analysis of stiffened panels subjected to in-plane loading and a study on efficient arrangement of doubly bonded strip crack stiffeners
G. Marci	367	A fatigue crack growth threshold
He Wenjun, Ding Haojiang and **Hu Haichang**	387	Improved BHS element in finite element method analysis of the fracture problem
C. Makabe and **H. Kaneshiro**	393	A method of detecting the fatigue crack initiation and growth in a holed specimen based on crack tip opening and closing
Xu Kewei and **He Jiawen**	405	Prediction on notched fatigue limits for crack initiation and propagation
E. H. Jordan and **B. K. Kim**	411	Approximate weight functions for externally cracked cylinders in mode I and mode III
I. L. Lim, I. W. Johnston, S. K. Choi and **V. Murti**	417	An improved numerical inverse isoparametric mapping technique for 2D mesh rezoning
J. Wang	437	A continuum damage mechanics model for low-cycle fatigue failure of metals
E. Madenci and **W. Klemm**	443	Compression-induced failure of a glassy material with a crack-like defect
		Technical Notes
M. O. Lai and **K. H. Lee**	453	K_{IC} determination using a chevron notched compact tension specimen
D. J. Unger	457	An energy dissipation analysis for a transitional model of crack tip plasticity
	I	Software Survey Section

NUMBER 4

R. P. Wei and **Song Chiou**	463	Corrosion fatigue crack growth and electrochemical reactions for an X-70 linepipe steel in carbonate–bicarbonate solution
F. Ozdil and **L. A. Carlsson**	475	Finite element analysis of interleaved DCB specimen
G. S. Giare, D. J. Mulholland and **R. F. Felton**	487	Experimental investigation of the effect of geometry on the efficiency of double lap joint using fracture mechanics technique in shear mode (mode II)
H. Nisitani, M. Goto and **N. Kawagoishi**	499	A small-crack growth law and its related phenomena
D. Gera and **M. A. Mahmoud**	515	Energy variation trends in the fatigue growth of surface cracks under tension and bending
K. Tohgo and **H. Ishii**	529	Elastic–plastic fracture toughness test under mixed mode I–II loading
Y. Katz, X. Chen, M. J. Lii, M. Lanxner and **W. W. Gerberich**	541	The anisotropic nature of local crack stability in BCC crystals
H. L. Stark and **R. N. Ibrahim**	569	Crack propagation in aluminium gas cylinder neck material at constant load and room temperature
Y. Xu and **L. M. Keer**	577	Non-planar deviation of an initially straight moving crack
Nengquan Liu and **N. J. Altiero**	587	An integral equation method applied to mode III crack problems
M. Perl and **A. Ashkenazi**	597	Radial cracking of a thick-walled cylinder due to an internal thermal shock
	I	Software Survey Section

NUMBER 5

W. H. Cook, A. M. Rajendran and **D. J. Grove**	607	An efficient numerical implementation of the Bodner–Partom model in the EPIC-2 code
G. X. Shan, O. Kolednik, H. P. Stüwe and **F. D. Fischer**	625	A substitution method for 3D elastic–plastic FE analyses of fracture mechanics specimens
R. Yuuki and **Jin-Quan Xu**	635	Stress based criterion for an interface crack kinking out of the interface in dissimilar materials

F. Ozdil and **L. A. Carlsson**	645	Plastic zone estimates in mode I interlaminar fracture of interleaved composites
G. S. Wang	659	Weight function estimation of SIF for Mode I part-elliptical crack under arbitrary load
R. H. Drinnon and **A. S. Kobayashi**	685	*J*-integral and HRR field associated with large crack extension
Huajian Gao and **G. Herrmann**	695	On estimates of stress intensity factors for cracked beams and pipes
P. S. Theocaris	707	Complex stress intensity factors evaluated by pseudo-caustics
D. M. Finch and **F. M. Burdekin**	721	Effects of welding residual stresses on significance of defects in various types of welded joint
E. Altus and **O. Ishai**	737	Delamination buckling criterion for composite laminates: a macro approach
B. Skallerud	753	Constitutive modelling of cyclic plasticity and some implications for the computation of biaxial low cycle fatigue damage
		Technical Notes
H. Guo, N. I. Aziz and **L. C. Schmidt**	771	Rock cutting study using linear elastic fracture mechanics
Y. L. Gao and **C. L. Tan**	779	Determination of characterizing parameters for bimaterial interface cracks using the boundary element method
		Discussion
N. P. Andrianopoulos	785	Author's closure on the discussion by N. A. B. Yiehia of "LEFM brittle and ductile fractures as described by the *T*-criterion"
	I	Software Survey Section

NUMBER 6

V. Tvergaard	787	A numerical analysis of 3D localization failure by a void-sheet mechanism
T. M. Maccagno and **J. F. Knott**	805	The mixed mode I/II fracture behaviour of lightly tempered HY130 steel at room temperature
H. Wada	821	Determination of dynamic fracture toughness for PMMA
D. J. Keum and **B. M. Kwak**	833	Energy release rates of crack kinking by boundary condition sensitivity analysis

X. G. Chen, X. R. Wu and **M. G. Yan**	843	Dugdale model for strain hardening materials
F. Kozin and **J. L. Bogdanoff**	873	Cumulative damage model for fatigue crack growth based on reaction rate theory—II
A. Hobbacher	897	Stress intensity factors of plates under tensile load with welded-on flat side gussets
P. K. Mazumdar	907	A model for high cycle fatigue
M. Ghassemieh, M. S. Ali and **A. R. Kukreti**	919	Procedure to predict ultimate fracture failure history for plane stress plasticity problems
N. C. Huang	935	An estimation of the plastic zone size for a bimaterial interfacial crack
F. P. Chiang and **Hua Lu**	939	Measurement of displacement field around an interfacial crack in a bimaterial sheet
		Technical Notes
M. D. Meyerson	951	Conformal mapping and fracture mechanics
J. D. G. Sumpter	955	Determination of static crack arrest toughness, J_a, from the CTOD test
M. A. Mahmoud	961	Some characteristics of fatigue crack propagation of surface cracks
	I	Software Survey Section
	i	Index to Volume 41

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.